

**AMENDMENTS TO THE CLAIMS**

Please amend claims 1, 3-5, 8, 11, 13, 14, 16, and 18, and add claim 21 such that the status of the claims is as follows:

1. (Currently amended) A system for deploying applications over a distributed network to [[web]] an Internet-enabled device[[s]] for interacting with a server, the server being in communication with the distributed network and having text files containing application logic, the system comprising:

an application assembler for storing on and running on each web the Internet-enabled device, the application assembler for downloading one or more text files from the server, retrieving program logic from each of the downloaded text files, and assembling the retrieved program logic into a functioning application and running the functioning application on the Internet-enabled device regardless of whether the Internet-enabled device remains connected to the server.[[;]] [[and]]  
~~a plugin for installation on each web-enabled device for launching the application assembler from a web page.~~

2. (Original) The system of claim 1, wherein the application assembler is operating system dependent.

3. (Currently amended) The system of claim 1, wherein the ~~application~~ program logic is operating system independent.

4. (Currently amended) The system of claim 1, wherein the functioning application provides a graphical user interface for receiving and interpreting user inputs to the [[web]] Internet-enabled device.

5. (Currently amended) The system of claim 4, wherein the functioning application processes the user inputs and interacts with a local or remote database, or both, for performing user instructions.

6. (Original) The system of claim 1, the application assembler comprising:  
a parser for extracting program logic from text files stored on the server;  
a script engine for interpreting scripts contained in the extracted program logic, and for  
providing methods to invoke script functions; and  
component handlers for rendering visual components and for processing operations  
specific to the visual components.
7. (Original) The system of claim 6, wherein the application assembler further comprises:  
a layout handler for analyzing positioning properties of a group of components and  
translating them into component dimensions and coordinates for display on each  
web enabled device.
8. (Currently amended) A system for deploying an application over a network to an Internet-enabled device[[s]], the network having a server containing one or more application logic files, the application logic files containing embedded application logic relating to a computer program, the system comprising:  
a program assembler for storing on ~~each~~ and running on the Internet-enabled device, the  
program assembler for downloading application logic files, retrieving embedded  
application logic from the application logic files, and building the computer  
program from the retrieved embedded application logic, and running the computer  
program on the Internet-enabled device.
9. (Original) The system of claim 8, further comprising:  
a plugin for installation in a web-browser for running the program assembler  
according to instructions embedded in an Internet web page.

10. (Original) The system of claim 8, wherein the program assembler is operating system dependent, the program assembler for assembling multiple computer programs based on the embedded application logic.

11. (Currently amended) The system of claim 8, wherein the program assembler is operating system dependent, and wherein at least two different program assemblers for at least two different operating systems on two different ~~[[web]] Internet-enabled~~ devices use the embedded application logic from the text files for building a computer program having the same functionality on both ~~[[web]] Internet-enabled~~ devices.

12. (Original) The system of claim 8, wherein the embedded application logic is operating system independent.

13. (Currently amended) The system of claim 8, wherein the computer program provides a graphical user interface for receiving and interpreting user inputs to the ~~[[web]] Internet-enabled~~ device.

14. (Currently amended) The system of claim 8, wherein the ~~[[web]] Internet-enabled device~~~~[[s]]~~ ~~[[are]]~~ is selected from a group consisting of computers, workstations, personal digital assistants, wireless personal digital assistants, and ~~[[web]] Internet-enabled~~ phones.

15. (Original) The system of claim 8, wherein the application logic files are compressed.

16. (Currently amended) A method for deploying a computer program over a network, the method comprising:

~~hosting a web page containing a software module and a plugin on for installation on a client device of a user;~~

~~launching the installed software module using the installed plugin based on instructions embedded within the web page;~~

storing and running a software module on a client device of a user;

providing to the client device text files containing embedded application program logic for the software module, the text files containing embedded program logic for the computer program to the installed software module upon request; ~~[[and]]~~  
running the computer program assembled from the embedded program logic on the client device; and

interacting enabling user interaction with the computer program running on the client device, ~~assembled from the embedded program logic.~~

17. (Original) The method of claim 16, wherein the step of hosting comprises:

storing a compressed file in a standard compression format on a server in communication with a network, the compressed file for automatic download and installation on the client device through a web browser.

18. (Currently amended) The method of claim ~~[[16]]~~ 21, wherein the step of launching the installed software module comprises:

embedding a launch instruction in a starter web page on the network.

19. (Original) The method of claim 16, wherein the step of providing text files comprises:

storing text files on a server in communication with a network, the text files containing embedded program logic.

20. (Original) The method of claim 19, wherein the text files are compressed.

21. (New)     The method of claim 16, and further comprising:  
                 hosting a web page containing a software module and a plugin on for installation on a client  
                 device of a user; and  
                 launching the installed software module using the installed plugin based on instructions  
                 embedded within the web page.